


KIT VALVE DRAIN MODEL TABLE



EXAMPLE MODEL NUMBER: CS RF PW 235 3 LO BA 4 A N



MATERIAL OF CONSTRUCTION

CS	CARBON STEEL
4	304 SST
6	316 SST

METHOD OF CONSTRUCTION

RF	RIGID WELDED PIPE W/ RAISED FACE FITTINGS
RJ	RIGID WELDED PIPE W/ RING JOINT FITTINGS
TU (0)	EXTRUDED STAINLESS TUBING W/ COMPRESSION FITTINGS
TP	NPT THREADED RIGID PIPING

FINISH

PW	POWDER COAT WHITE
PB	POWDER COAT BLACK
NF	NATURAL FINISH
EP	EPOXY COATED WHITE
NP	ELECTROLESS NICKEL PLATING

PROVER SIZE

001	FMD-001
003	FMD-003
007	FMD-007

Doc #: 000-108896-DOC	Rev A	Release Date 9/19/2014
-----------------------	-------	------------------------

5225 South 37th St. Phoenix, AZ 85040- Tel: 602-233-9885 Fax: 602-233-9887

KIT VALVE DRAIN MODEL TABLE



015	FMD-015
025	FMD-025, FMD-C25
035	FMD-035, FMD-A35
060	FMD-060
090	FMD-090
130	FMD-130
200	FMD-200

ANSI PRESSURE RATING (LIMITED BY FLANGED CONNECTION ON FLOW TUBE)

1	150#
2	300#
3	600#
4	900#
5	1500#

ORIENTATION

SH	SHORT DRAINS
LO (1)	LONG DRAIN PIPES EXTENDING OVER SIDE OF PROVER FRAME
RE (2)	PIPES RUN TO THE REAR OF A TRAILER OR TRUCK
AR (2)	(FOR USE WITH LOADING ARMS) PIPES RUN TO THE REAR OF A TRAILER OR TRUCK
SU (2,3)	DRAINS TO TERMINATE INTO SUMP
SA (2,3)	(FOR USE WITH LOADING ARMS) DRAINS TO TERMINATE INTO SUMP

TYPE OF VALVES

GA	GATE
BA	LEVER BALL
BU	BUTTERFLY
TB	TRUNION BALL
DG	DOUBLE BLOCK AND BLEED GATE VALVE
DB	DOUBLE BLOCK AND BLEED BALL VALVE
TW	TWIN SEAL STYLE VALVES
NO	CUSTOMER SUPPLIED

SIZE OF DRAIN PIPE OR TUBING

0	1/2"
1	3/4"
2	1"
3	1-1/2"
4	2"

OPERATING TEMPERATURE

A	32 to 212°F (0 to 100°C)
B	-20 to 212°F (-28 to 100°C)

Doc #: 000-108896-DOC

Rev A

Release Date 9/19/2014

5225 South 37th St. Phoenix, AZ 85040- Tel: 602-233-9885 Fax: 602-233-9887

KIT VALVE DRAIN MODEL TABLE



C	-170 to 140°F (-112 to 60°C)
D	32 to 300°F (0 to 148°C)

WATERDRAW PORT

N	WITHOUT WATER DRAW PORT
W	WITH WATER DRAW PORT

EXCEPTION CODES

- 0 STAINLESS TUBING ONLY, CODE "CS" NOT APPLICABLE, "NF" ONLY FINISH PERMISSABLE
- 1 DEPENDANT UPON PROVER SIZE, NOT UNIVERSAL
- 2 DEPENDANT UPON PROVER SIZE, FEATURES OF TRAILER, ETC, NOT UNIVERSAL
- 3 ONLY APPLICABLE FOR TRAILERS WITH SUMP FEATURE, NOT UNIVERSAL

Doc #: 000-108896-DOC

Rev A

Release Date 9/19/2014

5225 South 37th St. Phoenix, AZ 85040- Tel: 602-233-9885 Fax: 602-233-9887